


A MOUNTING BRACKET FOR EVERY USE

ADAPTED TO CAMPERVANS

The panel mounting bracket which simplifies mounting and maintenance

UNIFIX 1C is the innovative mounting bracket for fixing your panels on a flat surface. It sticks to the roof of your vehicle. To place it, UNIFIX 1C only requires 2 steps (clean and stick) instead of the usual 3 (clean, prepare and stick). Its compact design enables you to mount several panels, even on a surface filled with other components.

With its Easy Change system, you can easily replace or remove your panel for maintenance or cleaning.



UNIFIX 1C
Included: 4 panel mounting brackets for 35 mm frame + sika degreaser + sika glue
Ref 0255



ADAPTED TO LEISURE

Basic range

Robust and simple to install, the basic UNIFIX is the economic mounting bracket, ideal to fix your panels on all flat surfaces (wall, concrete floor, timber frame.) Its tilting system allows for an optimized angle to have the best electrical performances. The 250B model can also be weighted to the ground, on a lawn or on sand.

UNIFIX 100B
560 mm panels max
for Unisun 20.12M(x2)/
20.24M(x2)/30.12M/50.12M/
55.12BC/80.12M/100.12M/
100.24M/110.12BC
Ref 0644

UNIFIX 150B
700 mm panels max
for Unisun 150.12M/BC
Ref 0545

UNIFIX 250B
1100 mm panels max
(=250 W)
can be weighted to the
ground
for Unisun 100.12M(x2)/
100.24M(x2)/110.12BC(x2)/
150.12M/150.12BC/200.24M
Ref 1092

can be weighted down



ADAPTED TO LEISURE

Universal range

Robust and easy to install, the universal UNIFIX is the ideal mounting bracket to fix your panels on all flat surfaces (wall, concrete floor, timber frame) or on round masts (diam. 40 to 60 mm).

Its tilting system enables an optimized angle for the best electrical production.

Universal, with its innovative design, the UNIFIX can be used on certain panels from other brands with different dimensions

UNIFIX 20
for Unisun 10.12M/10.24M/
20.12M/20.24M
Ref 0262

UNIFIX 50
for Unisun 30.12M/
50.12M/55.12BC
Ref 0279

UNIFIX 100
for Unisun 80.12M/
100.12M/110.12BC/100.24M
Ref 0316



UNIFIX 200
for Unisun 80.12M(x2)/100.
12M(x2)/100.24M(x2)/110.
12BC(x2)/150.12M(x1)/150.
12BC(x1)
Ref 0361



UNIFIX 300
for Unisun 80.12M(x3)/
100.12M(x3)/110.12BC(x3)/
100.24M(x3)/150.12M(x2)/
150.12BC(x2)
1 x 1200 mm
panel max (= 300W)
Ref 0378



UNITECK

- Easy Change system for maintenance or cleaning
- UV and corrosion resistant PA66 plastic+ fiberglass + stainless steel screws
- Compact
- Easy to install

UNITECK

- Corrosion resistant galvanised steel + stainless steel screws
- Easy to install
- Reclinable from 0 to 90° (except 250B: 30 to 60°)
- Wall mounting
- Floor mounting

UNITECK

- Corrosion resistant galvanised steel frame and screws
- Easy to install
- Reclinable from 0 to 90°
- Wall mounting
- Floor mounting
- Fixation on round masts Ø 40 to 60 mm (flanges included)

Tilting system enables an optimized angle for the best electrical production.

Robust and strong fixation on round masts by means of flanges (included)

Attaches to all signage supports (flanges to be bought separately)



Designed made
in France

Thanks to their universal fastening system, UNIFIX supports adapt to all signal masts. Simply slide your flanges with the M8 or M10 screws onto the rear rail and then tighten.

The SF range has a fixed 35° panel inclination, optimum for an all year round use. As for the S standard range, it offers the possibility to choose the inclination. The tilting system enables you to optimize the electrical production according to the area and the period of use.

With their Easy Install system (S range only) and their light aluminium structure, their mounting can easily be done alone, without extra assistance.

+ UNITECK



Adaptable on all signal masts



Corrosion resistant
aluminium + A4 stainless
steel screws




Easy to install



Can be fixed on any support



With flanges or U clamps
(flanges and M8 or M10
screws not included)



Can be fixed on any signal
mast (flanges not included)



Can be fixed on the
masthead or the middle of
the mast (except UNIFIX
100SF, masthead only)

ADAPTED TO SIGNAGE

Fixed range




UNIFIX 20SF
for Unisun 10.12M/10.24M/20.12M/20.24M
Portrait orientation
Masthead and middle of the mast
Ref 1139



UNIFIX 100SF
for Unisun 30.12M/50.12M/55.12BC/80.12M/
100.12M/100.24M/110.12BC
Portrait orientation
Masthead
Ref 1146

ADAPTED TO SIGNAGE


Reclinable range



UNIFIX 20S
for Unisun 10.12M/10.24M/20.12M/20.24M
Landscape orientation
Masthead or middle of the mast
Ref 0286



UNIFIX 50S
for Unisun 30.12M/50.12M/55.12BC
Landscape orientation
Masthead or middle of the mast
Ref 0293



UNIFIX 100S
for Unisun 80.12M/100.12M/110.12BC
Landscape or portrait orientation
Masthead or middle of the mast
Ref 0323



UNIFIX 150S
for Unisun 150.12M/150.12BC
Landscape or portrait orientation
Masthead or middle of the mast
Ref 0866



Easy installation system

Its upper cap relieves the weight of the installation so that their mounting can easily be done alone, without extra assistance. This cap can be removed afterwards for a fixation on the middle of the mast (S versions only).



Light, innovative

Titling multi-position system to optimize your electrical performances




ADAPTED TO BOATING

Pushpit mounting

The UNIFIX WB mounting brackets range is ideal to fix your rigid solar panels on your pushpit. Made of 316L polished stainless steel, they are robust and entirely protected against corrosion.

Thanks to their universal fixation system, the UNIFIX WB models can be fixed on all pushpits.

With an adjustable tilt for the 20.1WB and the 100.1WB, with adjustable tilt and steerable for the 50.2WB, the UNIFIX WB optimizes your electrical performance and thus increases your production up to 50% compared to an identical fixed installation.



UNIFIX 20.1 WB
for Unisun
10.12M/10.24M/20.12M/20.24M
Ref 1009



UNIFIX 50.2 WB
for Unisun 30.12M/50.12M/55.12BC
Ref 1016




UNIFIX 100.1 WB
for Unisun 80.12M/100.12M/
100.24M/110.12BC
Ref 1153



ADAPTED TO BOATING

arch mounting

The UNIFIX WP mounting brackets are ideal to fix your rigid solar panels on your arch. Made of SAE 316L polished stainless steel, they are robust and entirely protected against corrosion



UNIFIX 100 WP
for Unisun 50.12M/55.12BC/80.12M/100.12M/100.24M/110.12BC
Ref 0859

UNIFIX 150 WP
for Unisun 150.12M/150.12BC
Ref 0514

UNIFIX 200 WP
for Unisun 200.24M
Ref 1450

+ UNITECK

Adaptable on all pushpits from Ø 22 to 28 mm

Corrosion resistant marine stainless steel

Easy to install

Reclinable from 0 to 90°

Steerable at 180°

+ UNITECK

Adaptable on all arches Ø 20 to 40 mm

Corrosion resistant marine stainless steel

Easy to install